

### **Listing of the Claims:**

This listing of claims replaces all prior versions, and listings, of claims in the captioned application.

### **Amendments to the Claims:**

1. (Currently Amended) A composition comprising a component (I), DDAC, and a post-harvest antifungal component (II) ~~selected from the group consisting of~~ is imazalil (II-a), boscalid (II-b), fenhexamid (II-c), pyrimethanil (II-d), thiophanate-methyl (II-e), triflumizole (II-f), azoxystrobin (II-g), dimoxystrobin (II-h), picoxystrobin (II-i), and pyraclostrobin (II-j), wherein the ratio by weight of component (I) to component (II) ranges from 4:100 to 10:1 1:50 to 2:1 such as to provide a synergistic antifungal effect, and a carrier.
2. (Original) A composition as claimed in claim 1 wherein the component (II) is imazalil (II a).
3. (Withdrawn) A composition as claimed in claim 1 wherein the component (II) is boscalid (II-b).
4. (Withdrawn) A composition as claimed in claim 1 wherein the component (II) is fenhexamid (II-c).
5. (Withdrawn) A composition as claimed in claim 1 wherein the component (II) is pyrimethanil (II-d).
6. (Withdrawn) A composition as claimed in claim 1 wherein the component (II) is thiophanate-methyl (II-e).
7. (Withdrawn) A composition as claimed in claim 1 wherein the component (II) is triflumizole (II-f).
8. (Withdrawn) A composition as claimed in claim 1 wherein the component (II) is azoxystrobin (II g), dimoxystrobin (II-h), picoxystrobin (II-i), or pyraclostrobin (II-j).
9. (Cancelled)

10. (Previously Presented) A composition according to claim 1 wherein the amount of component (I) is present in a range from 10 to 1.000 mg/l and the amount of component (II) is present in a range from 10 to 1.000 mg/l.
11. (Withdrawn) Use of a composition as defined in claim 1 for protecting plants or the loci thereof, fruit, or seed against fungi.
12. (Withdrawn) A use as claimed in claim 11 wherein the use is post-harvest treatment of fruit.
13. (Previously Presented) A process for preparing a composition as claimed in claim 1, characterized in that the component (I) and one of the components (II) are intimately mixed with the carrier.
14. (Currently Amended) A product containing  
(a) a composition comprising component (I), DDAC; and  
(b) a composition comprising a component (II), ~~being a post-harvest fungicide selected from imazalil (II-a), boscalid (II-b), fenhexamid (II-c), pyrimethanil (II-d), thiophanate-methyl (II-e), triflumizole (II-f), azoxystrobin (II-g), dimoxystrobin (II-h), picoxystrobin (II-i), and pyraclostrobin (II-j)~~, as a combination for simultaneous or sequential use, wherein said compositions (a) and (b) are in a ratio by weight of component (I) to component (II) ranges from ~~4:100 to 10:1~~ 1:50 to 2:1 to provide a synergistic fungicidal effect.